Comprehensive Numerical Modeling of the Adriatic Sea

Principal Investigator - Benoit Cushman-Roisin Thayer School of Engineering Dartmouth College Hanover, NH 03755-8000

E-mail: benoit.cushman-roisin@dartmouth.edu Telephone: 603-646-3248 Fax: 603-646-3856

> Co-PI: Christopher E. Naimie Thayer School of Engineering Dartmouth College Hanover, NH 03755-8000

E-mail: christopher.e.naimie@dartmouth.edu Telephone: 603-646-2119 Fax: 603-646-3856

Long-Term Goal(s)

A better understanding of naturally occurring fluid turbulence via modeling studies on entrainment, mixing and convection in the coastal ocean. Development and use of models for the study of generic processes and for the investigation of specific oceanic regions. Transition of these models to ONR.

Scientific/Technical Objectives

Development of a comprehensive, finite-element model of the Adriatic Sea, with initial focus on the seasonal circulations and later applications to mesoscale variability. Performance comparison of this model with other existing models applied to the Adriatic.

Approach

The 3D finite-element model developed at Dartmouth (Lynch et al., 1996) was selected, and a high-resolution mesh was constructed for the Adriatic from the finest available topography and coastline data sets available. The model is then progressively developed and tested according to the following stages: (1) Precise tidal simulations to determine tidal residual currents, (2) simulation of the circulation on seasonal time scales, (3) study of events on scales of days and weeks, (4) performance comparison with other models, (5) focus on particular regions.

Task Completed or Technical Accomplishments

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headquuld be aware that notwithstanding and DMB control number	ion of information Send commen arters Services, Directorate for In:	ts regarding this burden estimate formation Operations and Reports	or any other aspect of to s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 1997		2. REPORT TYPE		3. DATES COVERED 00-00-1997 to 00-00-1997	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Comprehensive Numerical Modeling of the Adriatic Sea				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Dartmouth College, Thayer School of Engineering, Hanover, NH, 03755				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distribut	ion unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC	17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF		
a REPORT unclassified	b ABSTRACT unclassified	c THIS PAGE unclassified	Same as Report (SAR)	3	RESPONSIBLE PERSON

Report Documentation Page

Form Approved OMB No. 0704-0188 To date, the tidal simulations have been completed. This, however, was a far more arduous task than anticipated. Indeed, a state of near resonance in the Adriatic amplifies the relatively weal tidal forcing from the Mediterranean, and tidal amplitudes and currents in the northern part of the sea are highly sensitive to turbulent dissipation.

Next, we acquired data sets: river discharges, surface fluxes and hydrography on climatological scales. Objective analysis was then performed to adapt these data to the finite-element mesh.

Finally, other data bases have been located for later studies of the variability at shorter than seasonal scales (winds, river discharges, and surface buoyancy fluxes during specific episodes of high variability).

Results

Although tides are not a dominant signal even in the northern Adriatic where they are the strongest of the whole Mediterranean, tidal residual currents are nonetheless significant in areas of abrupt coastline and topographic variations, particularly along the fragmented Dalmatian coast (Croatia). A refined study of the tides was necessary to obtain reliable values for the residual currents, and this study revealed a high level of interdependency among the seven primary tidal components: each mode contributes to the level of turbulent dissipation affecting all others.

The analysis of the hydrographic data for each of the four seasons pointed to deficiencies in some of the sets (e.g., missing temperature and salinity signatures of coastal currents), and special care was necessary to interpolate/extrapolate these data on the high-resolution finite-element mesh. A search had to be conducted to determine the optimal values of alongshore and offshore correlation scales to be used in objective analysis. A search has also been undertaken to obtain regional data sets as supplements to the basin-wide sets.

Impact(s) for Science & Technology and/or Application

Given the early state of this project, it is premature to claim any impact. However, fruitful collaborations have been established with several research teams in Italy, Slovenia, and Croatia and the ONR-supported Dartmouth initiative is already considered as a substantial contributing effort to the study of the Adriatic Sea.

Transitions Accomplished and Expected

None to date.

Relationship(s) to Other Projects for ONR or Other Agencies

Collaborations have been initiated in the USA with Prof. Pierre-Marie Poulain (Naval Postgraduate School) and Dr. Charles Horton (Naval Oceanographic Office), who are involved respectively in Adriatic drifter data and in Mediterranean-wide simulations.

Abroad, closest ties are with the modeling group in Bologna (Italy) under Dr. Nadia Pinardi (using the Princeton Ocean Model) and with groups of observationalists in Trieste (Italy), Piran (Slovenia) and Zagreb (Croatia). These teams are currently active in several national and European-Community projects.

References

Lynch, D.R., J.T.C. Ip, C.E. Naimie, and F.E. Werner, 1996: Comprehensive coastal circulation model with application to the Gulf of Maine. Cont. Shelf. Res., 16, 875-906.